

VOMITING (*See also Morning Sickness and Seasickness*).

1598—R Potassii nitratis, ℥j.
 Acidi hydrocyanici dil., gtt. vj.
 Syr. simplicis, ℥ss.
 Aquæ destillatæ, ℥iss.—M.

Sig.: A quarter to a half-teaspoonful thrice daily.
 (*In infantile vomiting.*) EUSTACE SMITH.

1599—R Vini ipecacuanhæ, ℥ss.

Sig.: One minim every half-hour or more. (*Good in all cases.*) RINGER.

1600—R Liq. potassii arsenitis, ℥ss.

Sig.: A half-drop every half-hour, for six or eight doses. (*Vomiting of drunkards and pregnancy.*) A. A. SMITH.

1601—R Hydrargyri cum creta, gr. iv.
 Sacchari lactis, gr. x.—M.

In pulv. no. xii div.
 Sig.: A powder dry on the tongue every two hours.
 (*In children with clayey stools.*) RINGER.

1602—R Chloroformi, ℥j.

Sig.: Two to five minims on sugar. (*In non-inflammatory vomiting.*) RINGER.

1603—R Acidi hydrobromici, ℥j.

Sig.: Thirty minims in a half-wineglassful of water four times daily. (*In vomiting due to gastric ulcer.*) RINGER.

1604—R Acidi carbolici, gr. iv.
 Bismuthi subnitratæ, ℥ij.
 Mucilag. acaciæ, ℥j.
 Aquæ menthæ pip., ℥iij.—M.

Sig.: A tablespoonful every two to four hours. (*In vomiting due to disordered stomach or bowels.*) BARTHOLOW.

1605—R Aloini, gr. v.
 Strychniæ sulphatis, gr. j.
 Ext. colocynth. co., gr. v.
 Ext. hyoscyami, ℥j.—M.

Ft. massa et in pil. no. lx div.
 Sig.: One pill after each meal. (*In obstinate vomiting due to chronic constipation.*) DA COSTA.