

WHOOPING-COUGH (Continued).

1619—R Quiniæ sulphatis, . . . gr. c.
Pulv. benzoini, . . . gr. v.—M.

In pulv. no. vii div.

Sig.: One powder to be insufflated into the nose,
during the day. BACHEN, Annual Univ. Med. Sci.

1620—R Acidi carbolici puri, . . . gtt. xv-xx.

Sig.: Drop on cotton or in an inhaler, and inhale for
several hours daily. Renew the cotton three times a
day. PICK, Annual Univ. Med. Sci.

1621—R Liquoris hydrogenii peroxidi
(10 vols.), ʒvj.

Glycerinæ puriss., . . . ʒiv.

Aquæ destillatæ, . . . ad ʒiij.—M.

Sig.: A tablespoonful in a wineglassful of water, five
or six times daily.

B. W. RICHARDSON, Annual Univ. Med. Sci.

1622—R Ext. cannabis indicæ, . . . gr. xv.

Ext. belladonnæ, . . . gr. viiss.

Alcoholis absoluti,

Glycerinæ, . . . āā ℥lxxv.—M.

Sig.: Four or five drops to a child of eight months
to one year; one to two years, five to eight drops;
over twelve years and adults, fifteen to twenty drops.

VETLESEN, Annual Univ. Med. Sci.

1623—R Sol. cocaini muriatis (5 per
cent.), . . . ʒss.

Sig.: Paint the throat and fauces repeatedly, with a
camel's hair brush. LABRIC, Annual Univ. Med. Sci.

WORMS.

1624—R Olei tiglii, . . . gtt. j.

Chloroformi, . . . ʒj.

Glycerinæ, . . . ʒviiss.—M.

Sig.: At night give a saline purge; the following
morning before breakfast the above mixture. (*For
tenia.*)

B. PERSH.

1625—R Peponis decort., . . . ʒv-x.

Sacchari albi, . . . ʒvj gr. xv.

Lactis recentis, . . . ʒxv. —M.

Ft. emulsio.

Sig.: To be given before breakfast Two hours later
to be followed by castor oil. (*In tape-worm.*)

DUPONT.