

APPENDIX.

A POSOLOGICAL TABLE.

For hypodermic use the dose should be half that used by the mouth.

For use by rectum the dose should be twice that by the mouth.

Doses for Children.—Dr. Young's rule: Divide the age by the age increased by 12. Example: For a child two years old,

$\frac{2}{2+12} = \frac{1}{7}$; the dose should be $\frac{1}{7}$ that for an adult. Of power-

ful narcotics, scarcely more than half of this proportion should be used. Of mild cathartics, two or even three times the proportion may be employed.

REMEDY.	DOSE.	REMEDY.	DOSE.
Abstract. belladonnæ..	$\frac{1}{2}$ grain	Ammonii chlorid.....	5 to 30 grs
cannabis ind.....	1 grain	iodid.....	3 to 15 grs
conii.....	1 to 3 grs	phosph.....	5 to 20 grs
gelsemii.....	1 grain	picras.....	$\frac{1}{3}$ to $1\frac{1}{2}$ grs
hyoscyami.....	2 grains	valer.....	3 to 15 grs
nuc. vom.....	1 grain	Amyl hydras.....	15 to 75 min
podophylli.....	4 grains	nitris.....	2 to 5 min
Acetphenetidina.....	3 to 10 grs	Antifebrin(acetanilide)	2 to 15 grs
Acet. opii.....	5 minims	Ant. et pot tart.; diaph.	$\frac{1}{16}$ to $\frac{1}{8}$ gr
scillæ.....	10 to 30 min	emetic..	1 to 2 grs
Acid. acet. dil.....	60 minims	Antimonii oxysulphuret	$\frac{1}{2}$ to 2 grs
arsenios.....	$\frac{1}{64}$ to $\frac{1}{12}$ gr	Antipyrin.....	5 to 30 grs
benzoic.....	5 to 15 grs	Apiol.....	3 to 15 grs
boric.....	5 to 10 grs	Apomorph. hydrochlor.	$\frac{1}{30}$ to $\frac{1}{8}$ gr
carbolic.....	1 to 3 grs	Aqua ammoniæ.....	5 to 30 min
gallic.....	3 to 15 grs	amygd. amar.....	2 fl. drs
hydrobrom. 34%.....	10 to 15 grs	camphoræ.....	1 to 4 fl drs
hydrobrom. dil.....	15 to 60 min	chlori.....	1 to 4 fl. drs
hydrochlor.....	3 to 10 min	creasoti.....	1 to 4 fl. drs
hydrochlor. dil.....	10 to 30 min	laurocerasi.....	6 to 30 min
hydrocyan. dil.....	2 to 6 min	Arbutin.....	8 to 15 gr
lactic.....	15 to 60 grs	Argenti nitras.....	$\frac{1}{8}$ to $\frac{1}{4}$ gr
nitric.....	3 to 10 min	Arsenii iodidum.....	$\frac{1}{64}$ to $\frac{1}{16}$ gr
nitr. dil.....	10 to 30 min	Asafoetida.....	5 to 20 grs
nitrohydrochlor.....	3 to 10 min	Atropina.....	$\frac{1}{128}$ to $\frac{1}{80}$ gr
nitrohydrochlor. dil..	5 to 20 min	Atropinæ sulph.....	$\frac{1}{128}$ to $\frac{1}{50}$ gr
oxalicum.....	$\frac{1}{2}$ to 2 grs	Auri et sodii chlorid...	$\frac{1}{32}$ to $\frac{1}{16}$ gr
phosphoric. 50%.....	3 to 15 grs	Balsamum gurjunæ....	15 to 40 grs
phosphoric. dil.....	10 to 20 min	peruviani.....	20 to 30 min
salicylic.....	5 to 15 grs	Bebeeria sulphas, tonic	1 to 3 grs
sulphuric.....	5 to 10 min	antiperiod.	3 to 10 grs
sulphuric. dil.....	10 to 20 min	Belladonnæ fol.....	1 to 10 grs
sulphuric. arom.....	5 to 30 min	Belladonnæ rad.....	1 to 5 grs
sulphuros.....	30 to 60 min	Benzanilide.....	4 to 30 grs
tannic.....	2 to 15 grs	Berberina.....	1 to 15 grs
Aconitina (white cryst)	$\frac{1}{400}$ to $\frac{1}{200}$ gr	Bismuthi citras.....	3 to 15 grs
Adonidine.....	$\frac{1}{15}$ to $\frac{1}{3}$ gr	et ammon. citr.....	1 to 15 grs
Agaricin.....	$\frac{1}{24}$ to $\frac{1}{6}$ gr	salicylas.....	2 to 8 grs
Aloe.....	2 to 5 grs	subnitr.....	3 to 15 grs
Alouinum.....	1 to 3 grs	valer.....	1 to 3 grs
Alumen.....	5 to 15 grs	Caffeina.....	1 to 5 grs
Ammonii benzoas.....	10 to 20 grs	Calcii chloridum.....	10 to 20 grs
bromid.....	5 to 30 grs	hippurate.....	5 to 10 grs
carb.....	3 to 10 grs	hypophosphis.....	3 to 15 grs